



Citrus II[®]

GERMICIDAL DEODORIZING WIPES

- CITRUS SCENTED
- CLEANS AND DEODORIZES IN ONE EASY STEP
- KILLS 99.9% OF BACTERIA
- CONVENIENT • EFFECTIVE • MULTI-PURPOSE CLEANER
- ANTIBACTERIAL FORMULA CLEANS AND DISINFECTS
- *VIRUCIDAL / TUBERCULOCIDAL / BACTERICIDAL / PSEUDOMONICIDAL
- Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu)

ACTIVE INGREDIENTS	
Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.105%
Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides.....	0.105%
INERT INGREDIENTS.....	99.790%
TOTAL	100.000%

EPA REG NO. 1839-223-68939 | EPA EST. NO. 68939-GA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements.

Beaumont Products, Inc.
1560 Big Shanty Drive
Kennesaw, GA 30144

Net Contents:
125 Pre-Measured Wipes 7" x 6"
Net Contents: 1 lb. 14 oz.

U.S. Patent No. 5, 444, 094

This product will clean and disinfect hard, non-porous, surfaces of: bed railings, cabinets, carts, chairs, counters, exam tables, gurneys, isolettes, IV poles, stethoscopes, stretchers, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles, vanity tops, hospital beds, traction devices, MRI, CAT, scales, paddles, wheelchairs, ultrasound transducers and probes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

CLEANING/DEODORIZING: Use one wipe to deodorize and completely remove all gross debris from surfaces to be treated.

DISINFECTING: To disinfect hard, non-porous surfaces, thoroughly wet the surface to be treated. Treated surface must remain visibly wet for 5 minutes for disinfection:

- To disinfect against *Escherichia coli* (E. coli), *Escherichia coli* O157:H7, *Pseudomonas aeruginosa*, *Salmonella (choleraesuis) enterica* and Vancomycin Resistant *Enterococcus Faecalis* (VRE), allow the treated surface to remain wet for 5 minutes.
- To disinfect against *Mycobacterium bovis* BCG (Tuberculosis), allow the treated surface to remain wet for 5 minutes.
- To disinfect against *Staphylococcus aureus* and Methicillin Resistant *Staphylococcus aureus* (MRSA), allow the treated surface to remain wet for 5 minutes.

A potable water rinse is required for surfaces in direct contact with food.

For plastic and painted surfaces, spot test on an inconspicuous area before use.

For heavily soiled surfaces, clean before following disinfecting instructions.

***VIRUCIDAL ACTIVITY:** This product is an effective virucide on hard, non-porous surfaces against:

• Influenza A (H1N1) Virus (ATCC VR-1469, Strain A/PR/8/34), Hepatitis C Virus (HCV), Hepatitis B Virus (HBV), Bovine Viral Diarrhea Virus (BVDV) and Duck Hepatitis B Virus (DHBV) when the treated surface is allowed to remain wet for 5 minutes.

• Human Immunodeficiency Virus Type 1 (HIV-1) when the treated surface is allowed to remain wet for 2 minutes.

Use additional wipes if needed to assure that the treated surface remains continuously wet for the prescribed time.

For Ultrasound Transducers and Probes:

Use only on external surfaces of ultrasound transducers and probes.

With a clean washcloth, clean gel from external surface of the ultrasound transducer or probe to be disinfected. Then thoroughly wet probe with wipe. Treated surface must remain wet for 5 minutes. Use additional wipes if needed to assure continuous 5 minute wet contact time. Let air dry.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), associated with AIDS., Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. Citrus II Germicidal Deodorizing Wipes can be used for this purpose.

CONTACT TIME: Thoroughly wet surface with new Citrus II Germicidal Deodorizing Wipes. Allow surface to remain wet for 5 minutes and air dry.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal. Not for personal cleansing. This is **not** a baby wipe! Do not flush in toilet.

TO OPEN PACKAGE: Flip open dispensing cap and remove lid by pulling upward. Thread center wipe corner through slits in lid center. **DO NOT PUSH FINGER THROUGH OPENING.** Replace lid. Dispense wipes by pulling out at an angle. Snap flip lid down when finished, to retain moisture. Dispose of used wipes in trash. Do not flush.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE:

Store in an area inaccessible to children.

CONTAINER STORAGE/DISPOSAL:

Wipes: Dispose of wipe in trash after use. Do not flush.

Canister: Tightly close lid between uses to retain moisture. Nonrefillable container. Do not reuse or refill this canister. Offer empty canister for recycling if available or discard in trash.

Batch # B70035



Beaumont Products, Inc.
(800) 451-7096
www.citrus2.com

